

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	29	(US-6158049-\$ or US-5933643-\$ or US-6477683-\$ or US-6681387-\$ or US-5815720-\$ or US-6415436-\$ or US-6760888-\$ or US-6643630-\$ or US-6598221-\$ or US-6467082-\$ or US-6493868-\$ or US-6219796-\$ or US-6125334-\$ or US-5958061-\$ or US-5911059-\$ or US-5574927-\$ or US-6732256-\$ or US-5557557-\$).did. or (US-20020032804-\$ or US-20010032332-\$ or US-20020066091-\$ or US-20040015931-\$ or US-20020144241-\$ or US-20020066088-\$ or US-20020147969-\$).did. or (US-6158049-\$ or JP-11149380-\$ or EP-689141-\$ or EP-428084-\$). did.	US-PGPUB; USPAT; DERWENT	OR	OFF	2004/09/04 13:03
S2	5	S1 and RISC and CISC	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/04 13:04
S4	3426	((717/105,127,136-138,140, 151-152,158,160) or (712/41,203) or (703/22,23) or (706/45)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/04 13:26
S6	114	S4 and host and target and embedded and optimi\$5 andrecompil\$6 and (profil\$5 same (captur\$3 or obtain\$4 or gather\$4 or stor\$4or collect\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/04 13:29
S7	1	(@ad<="20010928" or @rlad<="20010928") and (compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).ab. and S6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/04 13:30
S8	123	(@ad<="20010928" or @rlad<="20010928") and ((compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).ab. or (compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).clm.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/03 09:08

S9	70	((@ad<="20010928" or @rlad<="20010928") and ((compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).ab. or (compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).clm.)) not "717"/\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/02 12:32
S10	70	((@ad<="20010928" or @rlad<="20010928") and ((compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).ab. or (compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).clm.)) not "717"/\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/26 16:35
S11	178	(execut\$5 or optimi\$6 or reduc\$5) near6 ((using or "based on" or includ\$4 or incorporat\$4) near5 (profil\$3 adj2 (data or information or result or paramet\$4 or statistic or measurement or collection)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/02 12:49
S12	123	(@ad<="20010928" or @rlad<="20010928") and ((compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).ab. or (compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).clm.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/04 13:30
S13	10	(@ad<="20010928" or @rlad<="20010928") and (((compiled same execution same optimi\$6) and profil\$3).ab. or ((compiled same execution same optimi\$6) and profil\$3).clm.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/02 12:52
S14	24	((execut\$5 or optimi\$6 or reduc\$5) near6 ((using or "based on" or includ\$4 or incorporat\$4) near5 (profil\$3 adj2 (data or information or result or paramet\$4 or statistic or measurement or collection)))) and ((@ad<="20010928" or @rlad<="20010928") and ((compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).ab. or (compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).clm.))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/02 12:52

S15	2	(((@ad<="20010928" or @rlad<="20010928") and ((compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).ab. or (compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).clm.)) not "717"/\$) and (recompil\$6 or ((first and second or successiv\$5) near6 (version same compiled))) and (((incremental\$5 or successiv\$6 or iterativ\$6 or repeat\$6) near4 execut\$4) or re-execut\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/02 13:10
S16	6	"6158049".URPN.	USPAT	OR	ON	2004/09/02 13:05
S17	13	(profil\$3 same optimi\$6).ti. and "717"/\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/02 13:12
S18	13	((profil\$3 same optimi\$6).ti. and "717"/\$) and (@ad<="20010928" or @rlad<="20010928")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/02 13:52
S19	305	(((((@ad<="20010928" or @rlad<="20010928") and ((compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).ab. or (compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).clm.)) not "717"/\$) or ((execut\$5 or optimi\$6 or reduc\$5) near6 ((using or "based on" or includ\$4 or incorporat\$4) near5 (profil\$3 adj2 (data or information or result or paramet\$4 or statistic or measurement or collection)))) or ((@ad<="20010928" or @rlad<="20010928") and ((compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).ab. or (compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).clm.)) or ((profil\$3 same optimi\$6).ti. and "717"/\$)) or (((profile adj2 (based or driven or assist\$4)) near3 compilation) and optimi\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/02 13:52

S20	21	((((@ad<="20010928" or @rlad<="20010928") and ((compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).ab. or (compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).clm.)) not "717"/\$) or ((execut\$5 or optimi\$6 or reduc\$5) near6 ((using or "based on" or includ\$4 or incorporat\$4) near5 (profil\$3 adj2 (data or information or result or paramet\$4 or statistic or measurement or collection)))) or ((@ad<="20010928" or @rlad<="20010928") and ((compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).ab. or (compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).clm.)) or ((profil\$3 same optimi\$6).ti. and "717"/\$)) or (((profile adj2 (based or driven or assist\$4)) near3 compilation) and optimi\$6)) not ((((@ad<="20010928" or @rlad<="20010928") and ((compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).ab. or (compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).clm.)) not "717"/\$) or ((execut\$5 or optimi\$6 or reduc\$5) near6 ((using or "based on" or includ\$4 or incorporat\$4) near5 (profil\$3 adj2 (data or information or result or paramet\$4 or statistic or measurement or collection)))) or ((@ad<="20010928" or @rlad<="20010928") and ((compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).ab. or (compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).clm.)) or ((profil\$3 same optimi\$6).ti. and "717"/\$))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/02 14:33
-----	----	--	---	----	----	------------------

S21	21	(((((@ad<="20010928" or @rlad<="20010928") and ((compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).ab. or (compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).clm.)) not "717"/\$) or ((execut\$5 or optimi\$6 or reduc\$5) near6 ((using or "based on" or includ\$4 or incorporat\$4) near5 (profil\$3 adj2 (data or information or result or paramet\$4 or statistic or measurement or collection)))) or ((@ad<="20010928" or @rlad<="20010928") and ((compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).ab. or (compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).clm.)) or ((profil\$3 same optimi\$6).ti. and "717"/\$)) or (((profile adj2 (based or driven or assist\$4)) near3 compilation) and optimi\$6)) not ((((@ad<="20010928" or @rlad<="20010928") and ((compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).ab. or (compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).clm.)) not "717"/\$) or ((execut\$5 or optimi\$6 or reduc\$5) near6 ((using or "based on" or includ\$4 or incorporat\$4) near5 (profil\$3 adj2 (data or information or result or paramet\$4 or statistic or measurement or collection)))) or ((@ad<="20010928" or @rlad<="20010928") and ((compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).ab. or (compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).clm.)) or ((profil\$3 same optimi\$6).ti. and "717"/\$))) and (@ad<="20010928" or @rlad<="20010928")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/02 14:22
-----	----	---	---	----	----	------------------

S22	4	(((((@ad<="20010928" or @rlad<="20010928") and ((compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).ab. or (compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).clm.)) not "717"/\$) or ((execut\$5 or optimi\$6 or reduc\$5) near6 ((using or "based on" or includ\$4 or incorporat\$4) near5 (profil\$3 adj2 (data or information or result or paramet\$4 or statistic or measurement or collection)))) or ((@ad<="20010928" or @rlad<="20010928") and ((compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).ab. or (compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).clm.)) or ((profil\$3 same optimi\$6).ti. and "717"/\$)) and (((profile adj2 (based or driven or assist\$4)) near3 compilation) and optimi\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/02 14:23
S23	1	(profile same (compilation or compiled or optimi\$6)).ab. and ((host and embedded) near3 processor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/02 14:22
S24	46	(profile same (compilation or compiled or optimi\$6)) and ((host and embedded) same processor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/02 14:32
S25	1	((profile same (compilation or compiled or optimi\$6)).ab. and ((host and embedded) near3 processor)) and (@ad<="20010928" or @rlad<="20010928")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/02 14:23
S26	29	((profile same (compilation or compiled or optimi\$6)) and ((host and embedded) same processor)) and (@ad<="20010928" or @rlad<="20010928")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/02 15:42

S27	6	((((@ad<="20010928" or @rlad<="20010928") and ((compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).ab. or (compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).clm.)) not "717"/\$) or ((execut\$5 or optimi\$6 or reduc\$5) near6 ((using or "based on" or includ\$4 or incorporat\$4) near5 (profil\$3 adj2 (data or information or result or paramet\$4 or statistic or measurement or collection)))) or ((@ad<="20010928" or @rlad<="20010928") and ((compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).ab. or (compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).clm.)) or ((profil\$3 same optimi\$6).ti. and "717"/\$)) and (((profile same (compilation or compiled or optimi\$6)) and ((host and embedded) same processor)) and (@ad<="20010928" or @rlad<="20010928"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/02 16:15
S28	1	(((profil\$3 same optimi\$6).ti. and "717"/\$) and (@ad<="20010928" or @rlad<="20010928")) and (((host and embedded) same processor) or DSP or (embedded near3 system))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/02 16:08

S29	21	((((((((@ad<="20010928" or @rlad<="20010928") and ((compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).ab. or (compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).clm.)) not "717"/\$) or ((execut\$5 or optimi\$6 or reduc\$5) near6 ((using or "based on" or includ\$4 or incorporat\$4) near5 (profil\$3 adj2 (data or information or result or paramet\$4 or statistic or measurement or collection)))) or ((@ad<="20010928" or @rlad<="20010928") and ((compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).ab. or (compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).clm.)) or ((profil\$3 same optimi\$6).ti. and "717"/\$)) or (((profile adj2 (based or driven or assist\$4)) near3 compilation) and optimi\$6)) not ((((@ad<="20010928" or @rlad<="20010928") and ((compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).ab. or (compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).clm.)) not "717"/\$) or ((execut\$5 or optimi\$6 or reduc\$5) near6 ((using or "based on" or includ\$4 or incorporat\$4) near5 (profil\$3 adj2 (data or information or result or paramet\$4 or statistic or measurement or collection)))) or ((@ad<="20010928" or @rlad<="20010928") and ((compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).ab. or (compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).clm.)) or ((profil\$3 same optimi\$6).ti. and "717"/\$))) and (@ad<="20010928" or @rlad<="20010928")) not ((((@ad<="20010928" or @rlad<="20010928") and ((compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).ab. or (compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).clm.)) not "717"/\$) or ((execut\$5 or optimi\$6 or reduc\$5) near6 ((using or "based on" or includ\$4 or incorporat\$4) near5 (profil\$3 adj2 (data or information or result or paramet\$4 or statistic or measurement or collection)))) or ((@ad<="20010928" or	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/02 15:27
-----	----	---	---	----	----	------------------

S30	7	((compil\$4 and optimi\$6) and (((profile-based or profile-driven) same ((DSP or embedded) or (emulat\$4 or simulat\$4))))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/02 16:18
S31	5	((compil\$4 and optimi\$6) and (((profile-based or profile-driven) same ((DSP or embedded) or (emulat\$4 or simulat\$4)))))) and (@ad<="20010928" or @rlad<="20010928")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/02 16:22
S32	22	((compil\$4 and optimi\$6) and (((profile-based or profile-driven or profiling) and ((DSP or embedded) same (host and (emulat\$4 or simulat\$4))))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/02 15:42
S33	18	((compil\$4 and optimi\$6) and (((profile-based or profile-driven or profiling) and ((DSP or embedded) same (host and (emulat\$4 or simulat\$4)))))) and (@ad<="20010928" or @rlad<="20010928")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/02 15:42

S36	23	(profiling same (instrumented or instrumentation)) and (host and (embedded or DSP)) and (simulat\$4 or emulat\$4 or FPGA)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/02 16:21
S37	4	(((((ad<="20010928" or @rlad<="20010928") and ((compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).ab. or (compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).clm.)) not "717"/\$) or ((execut\$5 or optimi\$6 or reduc\$5) near6 ((using or "based on" or includ\$4 or incorporat\$4) near5 (profil\$3 adj2 (data or information or result or paramet\$4 or statistic or measurement or collection)))) or ((ad<="20010928" or @rlad<="20010928") and ((compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).ab. or (compil\$4 and (instrument\$5 or optimi\$6) and profil\$3).clm.)) or ((profil\$3 same optimi\$6).ti. and "717"/\$)) and ((profiling same (instrumented or instrumentation)) and (host and (embedded or DSP)) and (simulat\$4 or emulat\$4 or FPGA))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/02 16:15
S38	1460	(compil\$4 and optimi\$6) and (profiler or profile-based or profile-driven or profile-directed or profile) and (DSP or embedded or (target and host)) and (emulat\$4 or simulat\$4 or (in-circuit adj emulat\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/03 09:07
S39	30	(profiling same (instrumented or instrumentation)) and ((compil\$4 and optimi\$6) and (profiler or profile-based or profile-driven or profile-directed or profile) and (DSP or embedded or (target and host)) and (emulat\$4 or simulat\$4 or (in-circuit adj emulat\$4)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/02 16:21
S40	38	(profil\$4 same (instrumented or instrumentation)) and ((compil\$4 and optimi\$6) and (profiler or profile-based or profile-driven or profile-directed or profile) and (DSP or embedded or (target and host)) and (emulat\$4 or simulat\$4 or (in-circuit adj emulat\$4)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/02 16:21

S41	30	((profil\$4 same (instrumented or instrumentation)) and ((compil\$4 and optimi\$6) and (profiler or profile-based or profile-driven or profile-directed or profile) and (DSP or embedded or (target and host)) and (emulat\$4 or simulat\$4 or (in-circuit adj emulat\$4)))) and (@ad<="20010928" or @rlad<="20010928"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/02 16:57
S42	6	"5933643".URPN.	USPAT	OR	ON	2004/09/02 16:23
S43	11	("5613118" "5655122" "5689712" "5704053" "5729726" "5768500" "5768592" "5809450" "5815720" "5832289" "5838976").PN.	USPAT	OR	ON	2004/09/02 16:24
S44	30	"5815720".URPN.	USPAT	OR	ON	2004/09/02 16:26
S45	90	((compil\$4 and optimi\$6) and (profiler or profile-based or profile-driven or profile-directed or profile) and (DSP or embedded or (target and host)) and (emulat\$4 or simulat\$4 or (in-circuit adj emulat\$4))) and ((embedded adj2 (processor or controller)) or DSP) and (host same target) and (emulat\$4 or simulat\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/02 16:57
S46	77	((compil\$4 and optimi\$6) and (profiler or profile-based or profile-driven or profile-directed or profile) and (DSP or embedded or (target and host)) and (emulat\$4 or simulat\$4 or (in-circuit adj emulat\$4))) and ((embedded adj2 (processor or controller)) or DSP) and (host same target) and (emulat\$4 or simulat\$4)) and (@ad<="20010928" or @rlad<="20010928"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/02 16:57

S47	13	(((compil\$4 and optimi\$6) and (profiler or profile-based or profile-driven or profile-directed or profile) and (DSP or embedded or (target and host)) and (emulat\$4 or simulat\$4 or (in-circuit adj emulat\$4))) and ((embedded adj2 (processor or controller)) or DSP) and (host same target) and (emulat\$4 or simulat\$4)) and (@ad<="20010928" or @rlad<="20010928")) and (optimi\$4 or compil\$4 or simulat\$4 or embedded or emulat\$4).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/02 16:59
S48	13	((((compil\$4 and optimi\$6) and (profiler or profile-based or profile-driven or profile-directed or profile) and (DSP or embedded or (target and host)) and (emulat\$4 or simulat\$4 or (in-circuit adj emulat\$4))) and ((embedded adj2 (processor or controller)) or DSP) and (host same target) and (emulat\$4 or simulat\$4)) and (@ad<="20010928" or @rlad<="20010928")) and (optimi\$4 or compil\$4 or simulat\$4 or embedded or emulat\$4).ab.) not Bowman.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/02 16:59
S49	4	("5535393" "5862383" "5933641" "5966143").PN.	USPAT	OR	ON	2004/09/02 17:27
S50	603	(emulat\$4 or simulat\$5) and (host and (((target or embedded) adj2 (processor or controller)) or DSP)) and (optimi\$6 same (code or compil\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/03 09:04
S51	137	(compil\$4 and optimi\$6) and (profiler or profile-based or profile-driven or profile-directed or profil\$4 and profile-guided or (PBO and Hewlett-Packard)) and (DSP or embedded or (target and host)) and (emulat\$4 or simulat\$4 or (in-circuit adj emulat\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/03 09:57
S52	12	(Hwu or Mahlke or Conte or Gillian).in. and profiling and (@ad<="20010928" or @rlad<="20010928"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/03 09:10

S53	21	((emulat\$4 or simulat\$5) and (host and (((target or embedded) adj2 (processor or controller)) or DSP)) and (optimi\$6 same (code or compil\$4))) and ((compil\$4 and optimi\$6) and (profiler or profile-based or profile-driven or profile-directed or profil\$4 and profile-guided or (PBO and Hewlett-Packard)) and (DSP or embedded or (target and host)) and (emulat\$4 or simulat\$4 or (in-circuit adj emulat\$4)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/03 09:10
S54	9	((emulat\$4 or simulat\$5) and (host and (((target or embedded) adj2 (processor or controller)) or DSP)) and (optimi\$6 same (code or compil\$4))) and ((compil\$4 and optimi\$6) and (profiler or profile-based or profile-driven or profile-directed or profil\$4 and profile-guided or (PBO and Hewlett-Packard)) and (DSP or embedded or (target and host)) and (emulat\$4 or simulat\$4 or (in-circuit adj emulat\$4))) and (@ad<="20010928" or @rlad<="20010928")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/03 11:11
S55	2	"6125334".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/03 09:46
S56	1	"6467082".URPN.	USPAT	OR	ON	2004/09/03 09:54
S57	16	("5129064" "5167023" "5274811" "5301325" "5339238" "5450575" "5598560" "5797014" "5842017" "5911059" "5958061" "5966537" "5999734" "6006022" "6031992" "6110226").PN.	USPAT	OR	ON	2004/09/03 09:55
S58	8	(compil\$4 and optimi\$6) and (("5129064" "5167023" "5274811" "5301325" "5339238" "5450575" "5598560" "5797014" "5842017" "5911059" "5958061" "5966537" "5999734" "6006022" "6031992" "6110226").PN.) and (DSP or embedded or (target and host)) and (emulat\$4 or simulat\$4 or (in-circuit adj emulat\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/03 09:57

S59	1	((compil\$4 and optimi\$6) and ("5129064" "5167023" "5274811" "5301325" "5339238" "5450575" "5598560" "5797014" "5842017" "5911059" "5958061" "5966537" "5999734" "6006022" "6031992" "6110226").PN.) and (DSP or embedded or (target and host)) and (emulat\$4 or simulat\$4 or (in-circuit adj emulat\$4))) and (profiler or profile-based or profile-driven or profile-directed or profil\$4 and profile-guided or (PBO and Hewlett-Packard))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/03 09:57
S60	3	((compil\$4 and optimi\$6) and ("5129064" "5167023" "5274811" "5301325" "5339238" "5450575" "5598560" "5797014" "5842017" "5911059" "5958061" "5966537" "5999734" "6006022" "6031992" "6110226").PN.) and (DSP or embedded or (target and host)) and (emulat\$4 or simulat\$4 or (in-circuit adj emulat\$4))) and (profiler or profile-based or profile-driven or profile-directed or profil\$4 or profile-guided or (PBO and Hewlett-Packard))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/03 10:03
S61	114	Hyatt.in. and ((integrated adj circuit) or "364"/\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/03 10:16
S62	4	(Hyatt.in. and ((integrated adj circuit) or "364"/\$)) and single-chip	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/03 11:11
S63	3	((Hyatt.in. and ((integrated adj circuit) or "364"/\$)) and single-chip) and (emulat\$4 or simulat\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/03 10:19
S64	145	(single-chip same (emulat\$4 or simulat\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/03 10:19

S65	1	((host and (target or embedded)) adj2 (processor or controller)) and ((single-chip same (emulat\$4 or simulat\$4)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/03 10:52
S66	1	((emulat\$3 or target or embedded) and host) near8 ("in one chip" or "in a single chip" or "same PC card" or "same circuit" or "same module")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/03 11:20
S67	25	(cross adj2 compiler) and (host and (embedded or DSP)) and profil\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/03 11:11
S68	18	((cross adj2 compiler) and (host and (embedded or DSP)) and profil\$4) and (@ad<="20010928" or @rlad<="20010928")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/03 11:22

S69	16	(((compil\$4 and optimi\$6) and (profiler or profile-based or profile-driven or profile-directed or profil\$4 and profile-guided or (PBO and Hewlett-Packard)) and (DSP or embedded or (target and host)) and (emulat\$4 or simulat\$4 or (in-circuit adj emulat\$4))) or (((emulat\$4 or simulat\$5) and (host and (((target or embedded) adj2 (processor or controller)) or DSP)) and (optimi\$6 same (code or compil\$4))) and ((compil\$4 and optimi\$6) and (profiler or profile-based or profile-driven or profile-directed or profil\$4 and profile-guided or (PBO and Hewlett-Packard)) and (DSP or embedded or (target and host)) and (emulat\$4 or simulat\$4 or (in-circuit adj emulat\$4)))) or (("5129064" "5167023" "5274811" "5301325" "5339238" "5450575" "5598560" "5797014" "5842017" "5911059" "5958061" "5966537" "5999734" "6006022" "6031992" "6110226").PN.) or (Hyatt.in. and ((integrated adj circuit) or "364"/\$)) or ((single-chip same (emulat\$4 or simulat\$4))) or ((cross adj2 compiler) and (host and (embedded or DSP)) and profil\$4)) and (embedded or DSP) and (emulat\$4 or simulat\$4) and (power same profil\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/03 11:22
-----	----	---	---	----	----	------------------

S70	12	(((compil\$4 and optimi\$6) and (profiler or profile-based or profile-driven or profile-directed or profil\$4 and profile-guided or (PBO and Hewlett-Packard)) and (DSP or embedded or (target and host)) and (emulat\$4 or simulat\$4 or (in-circuit adj emulat\$4))) or (((emulat\$4 or simulat\$5) and (host and (((target or embedded) adj2 (processor or controller)) or DSP)) and (optimi\$6 same (code or compil\$4))) and ((compil\$4 and optimi\$6) and (profiler or profile-based or profile-driven or profile-directed or profil\$4 and profile-guided or (PBO and Hewlett-Packard)) and (DSP or embedded or (target and host)) and (emulat\$4 or simulat\$4 or (in-circuit adj emulat\$4)))) or (("5129064" "5167023" "5274811" "5301325" "5339238" "5450575" "5598560" "5797014" "5842017" "5911059" "5958061" "5966537" "5999734" "6006022" "6031992" "6110226").PN.) or (Hyatt.in. and ((integrated adj circuit) or "364"/\$)) or ((single-chip same (emulat\$4 or simulat\$4))) or ((cross adj2 compiler) and (host and (embedded or DSP)) and profil\$4)) and (embedded or DSP) and (emulat\$4 or simulat\$4) and (power same profil\$4)) and (@ad<="20010928" or @rlad<="20010928")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/03 11:49
S71	32	((profile and cross) near8 (compil\$5 or optimi\$6)) and ((emulat\$4 or simulat\$4 or host) and (embedded or DSP or target))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/03 11:49
S72	30	(((profile and cross) near8 (compil\$5 or optimi\$6)) and ((emulat\$4 or simulat\$4 or host) and (embedded or DSP or target))) and (@ad<="20010928" or @rlad<="20010928")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/03 12:22

S73	7	(((((profile and cross) near8 (compil\$5 or optimi\$6)) and ((emulat\$4 or simulat\$4 or host) and (embedded or DSP or target))) and (@ad<="20010928" or @riad<="20010928")) and compiler and ("717"/\$ or "705"/\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/03 12:24
S74	29	(US-6158049-\$ or US-5933643-\$ or US-6477683-\$ or US-6681387-\$ or US-5815720-\$ or US-6415436-\$ or US-6760888-\$ or US-6643630-\$ or US-6598221-\$ or US-6493868-\$ or US-6125334-\$ or US-6467082-\$ or US-5958061-\$ or US-5574927-\$ or US-5911059-\$ or US-6219796-\$ or US-5557557-\$ or US-6732256-\$).did. or (US-20020032804-\$ or US-20010032332-\$ or US-20020066091-\$ or US-20020144241-\$ or US-20040015931-\$ or US-20020066088-\$ or US-20020147969-\$).did. or (US-6158049-\$ or JP-11149380-\$ or EP-689141-\$ or EP-428084-\$). did.	US-PGPUB; USPAT; DERWENT	OR	OFF	2004/09/03 17:09
S75	2	((US-6158049-\$ or US-5933643-\$ or US-6477683-\$ or US-6681387-\$ or US-5815720-\$ or US-6415436-\$ or US-6760888-\$ or US-6643630-\$ or US-6598221-\$ or US-6493868-\$ or US-6125334-\$ or US-6467082-\$ or US-5958061-\$ or US-5574927-\$ or US-5911059-\$ or US-6219796-\$ or US-5557557-\$ or US-6732256-\$).did. or (US-20020032804-\$ or US-20010032332-\$ or US-20020066091-\$ or US-20020144241-\$ or US-20040015931-\$ or US-20020066088-\$ or US-20020147969-\$).did. or (US-6158049-\$ or JP-11149380-\$ or EP-689141-\$ or EP-428084-\$). did.) and DSP and RTL and VESTIM	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/03 17:10

S76	29	(US-20010032332-\$ or US-20020032804-\$ or US-20020066088-\$ or US-20020066091-\$ or US-20020144241-\$ or US-20020147969-\$ or US-20040015931-\$).did. or (US-5557557-\$ or US-5574927-\$ or US-5815720-\$ or US-5911059-\$ or US-5933643-\$ or US-5958061-\$ or US-6125334-\$ or US-6158049-\$ or US-6219796-\$ or US-6415436-\$ or US-6467082-\$ or US-6477683-\$ or US-6493868-\$ or US-6598221-\$ or US-6643630-\$ or US-6681387-\$ or US-6732256-\$ or US-6760888-\$).did. or (EP-428084-\$ or EP-689141-\$ or JP-11149380-\$ or US-6158049-\$). did.	US-PGPUB; USPAT; DERWENT	OR	ON	2005/05/26 12:55
S77	7	S76 and (profile same instrument\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/26 12:56
S78	12	S76 and ((instruction code) near8 (insert\$4 add\$4)) and ((captur\$\$ gather\$4 collect\$3) near8 (parametric metric information data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/26 12:58
S79	104	(profile same instrument\$5) and ((instruction code) near8 (insert\$4 add\$4)) and ((captur\$\$ gather\$4 collect\$3) near8 (parametric metric information data)) and compiler and monitor\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/26 12:58
S80	85	(@ad<="20010928" or @rlad<="20010928") and ((compil\$4 and (instrument\$5 or optimi\$6) and profil\$3)) and S79	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/26 13:00
S81	37	S80 and (recompil\$5 or (second near6 compil\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/26 13:08
S82	18	S80 not S81 and profile and instrumentation and optimi\$7 and ((embedded near2 (microprocess\$\$ or computer or process\$4)) or DSP)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/26 13:08

S83	11	S81 and instrument\$4 and optimi\$7 and ((embedded near2 (microprocess\$\$ or computer or process\$4)) or DSP)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/26 13:09
S84	36	(US-20010032332-\$ or US-20020032804-\$ or US-20020066088-\$ or US-20020066091-\$ or US-20020144241-\$ or US-20020147969-\$ or US-20040015931-\$).did. or (US-5557557-\$ or US-5574927-\$ or US-5815720-\$ or US-5911059-\$ or US-5933643-\$ or US-5958061-\$ or US-6125334-\$ or US-6158049-\$ or US-6219796-\$ or US-6415436-\$ or US-6467082-\$ or US-6477683-\$ or US-6493868-\$ or US-6598221-\$ or US-6643630-\$ or US-6681387-\$ or US-6732256-\$ or US-6760888-\$ or US-6513155-\$ or US-6070009-\$ or US-6092180-\$ or US-6662358-\$ or US-6598012-\$ or US-6728955-\$ or US-5960198-\$).did. or (EP-428084-\$ or EP-689141-\$ or JP-11149380-\$ or US-6158049-\$). did.	US-PGPUB; USPAT; DERWENT	OR	ON	2005/05/26 13:53
S85	1	S84 and Dsp and instrument\$4 and profile and recompil\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/26 15:05
S86	199	"9" and optimi\$5 and instrument\$4 and profile and recompil\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/26 15:06

S87	36	(US-20010032332-\$ or US-20020032804-\$ or US-20020066088-\$ or US-20020066091-\$ or US-20020144241-\$ or US-20020147969-\$ or US-20040015931-\$).did. or (US-5557557-\$ or US-5574927-\$ or US-5815720-\$ or US-5911059-\$ or US-5933643-\$ or US-5958061-\$ or US-6125334-\$ or US-6158049-\$ or US-6219796-\$ or US-6415436-\$ or US-6467082-\$ or US-6477683-\$ or US-6493868-\$ or US-6598221-\$ or US-6643630-\$ or US-6681387-\$ or US-6732256-\$ or US-6760888-\$ or US-6513155-\$ or US-6070009-\$ or US-6092180-\$ or US-6662358-\$ or US-6598012-\$ or US-6728955-\$ or US-5960198-\$).did. or (EP-428084-\$ or EP-689141-\$ or JP-11149380-\$ or US-6158049-\$). did.	US-PGPUB; USPAT; DERWENT	OR	ON	2005/05/26 15:06
S88	6	S87 and optimi\$5 and instrument\$4 and profile and recompil\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/26 15:26
S89	1	(garbage adj collection) and (table near9 ((expir\$6 and time) and (look adj up)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/26 16:34
S90	7	(instrument\$4 near8 (program code)).ti. and "717"/\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/26 16:34
S91	4	(@ad<="20010928" or @rlad<="20010928") and S90	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/26 16:43
S92	2	S87 and annotated	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/26 16:43
S93	118	(DSP or (embedded adj2 controller)) near5 compiler	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/27 11:02

S94	34	(@ad<="20010928" or @rlad<="20010928") and (compil\$5 same optimi\$5) and S93	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/27 11:15
S95	665	((simultan\$5 parallel) near5 compiler)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/27 11:15
S96	59	(@ad<="20010928" or @rlad<="20010928") and (compil\$5 same optimi\$5) and S95 and (simulation or DSP)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/27 11:16
S97	37	(US-20010032332-\$ or US-20020032804-\$ or US-20020066088-\$ or US-20020066091-\$ or US-20020144241-\$ or US-20020147969-\$ or US-20040015931-\$).did. or (US-5557557-\$ or US-5574927-\$ or US-5815720-\$ or US-5911059-\$ or US-5933643-\$ or US-5958061-\$ or US-5960198-\$ or US-6070009-\$ or US-6092180-\$ or US-6125334-\$ or US-6158049-\$ or US-6219796-\$ or US-6415436-\$ or US-6467082-\$ or US-6477683-\$ or US-6493868-\$ or US-6513155-\$ or US-6598012-\$ or US-6598221-\$ or US-6643630-\$ or US-6662358-\$ or US-6681387-\$ or US-6728955-\$ or US-6732256-\$ or US-6760888-\$ or US-6282706-\$).did. or (EP-428084-\$ or EP-689141-\$ or JP-11149380-\$ or US-6158049-\$). did.	US-PGPUB; USPAT; DERWENT	OR	ON	2005/05/27 11:19
S98	28	S97 and (parallel loop)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/27 11:20
S99	22	S98 and profile	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/27 11:20